

SaferFarm.org – Farm Hazard Analysis Tool

B&B Residential

Fireplaces



Least Protection

1. Unscreened fire-brick lined fireplace; combustible materials within 3 feet; no chimney cleaning.
2. Unscreened fire-brick lined fireplace or solid-fuel burning stove with combustible material within 3 feet; installed by homeowner; homeowner cleans chimney.
3. Screened fireplace insert or solid-fuel burning stove with no combustible material within 3 feet; installed by a non-certified professional contractor; sporadic, professional contracted chimney cleaning.
4. Screened fireplace insert or solid-fuel burning stove with no combustible material within 3 feet; installed by a certified professional contractor; bi-yearly, professional contracted chimney cleaning.
5. Screened fireplace insert or solid-fuel burning stove with no combustible material within 3 feet; installed by a certified professional contractor; annual, professional contracted chimney cleaning.

Most Protection

| Item: | Item: | Item: | Item: | Item: |
|-------|-------|-------|-------|-------|
| O1 | O1 | O1 | O1 | O1 |
| O2 | O2 | O2 | O2 | O2 |
| O3 | O3 | O3 | O3 | O3 |
| O4 | O4 | O4 | O4 | O4 |
| O5 | O5 | O5 | O5 | O5 |

Farm: _____

Inspector: _____

Date: _____